



Отвод 45° PP-H Simona d200 SDR17.6 PN10

| Артикул | d | SDR | Вес (кг/шт) | le1 (мм) | z1 | PN (бар) | e |
|-----------|-----|------|-------------|----------|-----|----------|------|
| 019200095 | 125 | 11 | 1.13 | 98 | 137 | 10 | 11.4 |
| 019200385 | 140 | 11 | 1.685 | 122 | 168 | 10 | 12.7 |
| 019200097 | 160 | 11 | 2.53 | 143 | 190 | 10 | 14.6 |
| 019200296 | 250 | 11 | 7.875 | 134 | 220 | 10 | 22.7 |
| 019200147 | 125 | 17,6 | 0.79 | 98 | 137 | 6 | 7.1 |
| 019200382 | 140 | 17,6 | 1.245 | 120 | 168 | 6 | 8 |
| 019200295 | 250 | 17,6 | 5.78 | 133 | 220 | 6 | 14.2 |
| 019200297 | 280 | 17,6 | 7.285 | 142 | 227 | 6 | 15.9 |
| 019200094 | 110 | 11 | 0.785 | 93 | 121 | 10 | 10 |
| 019200149 | 180 | 11 | 3.34 | 141 | 196 | 10 | 16.4 |
| 019200085 | 32 | 11 | 0.056 | 71 | 90 | 10 | 2.9 |
| 019200086 | 40 | 11 | 0.088 | 73 | 95 | 10 | 3.7 |
| 019200089 | 63 | 11 | 0.203 | 66 | 88 | 10 | 5.8 |
| 019200300 | 315 | 11 | 13.675 | 142 | 250 | 10 | 28.6 |
| 019200093 | 110 | 17,6 | 0.56 | 95 | 121 | 6 | 6.3 |
| 019200148 | 180 | 17,6 | 2.335 | 141 | 196 | 6 | 10.2 |
| 019200150 | 200 | 17,6 | 3.13 | 23 | 207 | 6 | 11.4 |
| 019200145 | 50 | 17,6 | 0.082 | 62 | 76 | 6 | 2.9 |
| 019200091 | 90 | 17,6 | 0.325 | 82 | 105 | 6 | 5.1 |
| 019200299 | 315 | 17,6 | 9.85 | 155 | 250 | 6 | 17.9 |
| 019200083 | 20 | 11 | 0.019 | 52 | 72 | 10 | 1.9 |
| 019200151 | 200 | 11 | 4.54 | 153 | 207 | 10 | 18.2 |
| 019200098 | 225 | 11 | 5.75 | 153 | 210 | 10 | 20.5 |
| 019200087 | 50 | 11 | 0.108 | 62 | 76 | 10 | 4.6 |
| 019200092 | 90 | 11 | 0.46 | 83 | 105 | 10 | 8.2 |

| | | | | | | | |
|-----------|-----|------|-------|-----|-----|----|------|
| 019200096 | 160 | 17,6 | 1.85 | 143 | 190 | 6 | 9.1 |
| 019200152 | 225 | 17,6 | 3.97 | 153 | 210 | 6 | 12.8 |
| 019200088 | 63 | 17,6 | 0.142 | 66 | 88 | 6 | 3.6 |
| 019200146 | 75 | 17,6 | 0.196 | 71 | 90 | 6 | 4.3 |
| 019200298 | 280 | 11 | 10.06 | 143 | 227 | 10 | 25.4 |
| 019200084 | 25 | 11 | 0.03 | 57 | 76 | 10 | 2.3 |
| 019200090 | 75 | 11 | 0.29 | 71 | 90 | 10 | 6.8 |