




Муфта редукционная для стыковой сварки РР-Н FIP 630x450 SDR17.6 PN10

Артикул	d1	d2	l1	l2	Z	S1	S2	g
RBM17050032	50	32	12	12	55	2.9	2	17
RBM17050040	50	40	12	12	55	2.9	2,3	20
RBM17063032	63	32	16	12	65	3.6	2	32
RBM17063040	63	40	16	12	65	3.6	2,3	36
RBM17063050	63	50	16	12	65	3.6	2.9	38
RBM17075050	75	40	19	12	71	4.3	2,3	50
RBM17075063	75	50	19	12	71	4.3	2.9	54
RBM17090050	75	63	19	16	71	4.3	3.6	60
RBM17090063	90	50	22	12	80	5,1	2.9	86
RBM17090075	90	63	22	16	80	5,1	3.6	82
RBM17110050	90	75	22	19	80	5,1	4.3	102
RBM17110063	110	50	28	12	105	6.3	2.9	100
RBM17110075	110	63	28	16	97	6.3	3.6	100
RBM17110090	110	75	28	19	97	6.3	4.3	90
RBM17125063	110	90	28	22	97	6.3	5,1	160
RBM17125075	125	63	35	20	97	7.1	3.6	195
RBM17125090	125	75	32	19	108	7.1	4.3	130
RBM17125110	125	90	32	22	108	7.1	5,1	130
RBM17140075	125	110	32	28	108	7.1	6.3	150
RBM17140090	140	75	35	19	123	8	4.3	160
RBM17140110	140	90	35	22	115	8	5,1	170
RBM17140125	140	110	35	28	115	8	6.3	140
RBM17160090	140	125	35	32	115	8	7.1	150
RBM17160110	160	90	40	22	135	9.1	5,1	400
RBM17160125	160	110	40	28	124	9.1	6.3	350
RBM17160140	160	125	40	32	124	9.1	7.1	400
RBM17180090	160	140	40	35	124	9.1	8	250
RBM17180110	180	90	53	42	145	10.2	5.1	600

RBM17180125	180	110	45	28	157	10,2	6.3	630
RBM17180140	180	125	45	32	136	10,2	7.1	370
RBM17180160	180	140	45	35	136	10,2	8	510
RBM17200140	180	160	45	40	136	10,2	9.1	500
RBM17200160	200	140	50	35	154	11.4	8	750
RBM17200180	200	160	50	40	151	11.4	9.1	670
RBM17225140	200	180	50	45	151	11.4	10,2	920
RBM17225160	225	140	52	49	150	12.7	8	1060
RBM17225180	225	160	55	40	171	12.8	9.1	700
RBM17225200	225	180	55	45	171	12.8	10,2	580
RBM17250160	225	200	55	50	171	12.8	11.4	700
RBM17250180	250	160	60	40	194	14.2	9.1	880
RBM17250200	250	180	60	45	182	14.2	10,2	660
RBM17250225	250	200	60	50	182	14.2	11.4	730
RBM17280200	250	225	60	55	182	14.2	12.8	680
RBM17280225	280	200	85	70	200	15.9	11.4	2400
RBM17280250	280	225	70	55	200	15.9	12.8	2370
RBM17315200	280	250	85	92	200	15.9	14.2	2540
RBM17315225	315	200	95	85	230	17.9	11.4	3220
RBM17315250	315	225	84	60	238	17.9	12.8	3320
RBM17315280	315	250	95	95	230	17.9	14.2	3500
RBM17355200	315	280	80	70	222	17.9	15.9	3510
RBM17355225	355	200	57	40	160	20,1	11.4	3220
RBM17355250	355	225	57	40	140	20,1	12,7	3200
RBM17355280	355	250	54	40	130	20,1	14,2	2300
RBM17355315	355	280	53	40	120	20.1	15.9	2740
RBM17400225	355	315	53	40	110	20.1	17.9	2500
RBM17400250	400	225	64	40	160	22.7	12.7	4600
RBM17400280	400	250	61	40	150	22.7	14.2	4400
RBM17400315	400	280	60	40	140	22.7	15.9	4200
RBM17400355	400	315	50	40	120	22.7	17.9	3360
RBM17450280	400	355	51	40	110	22.7	20.1	3160
RBM17450315	450	280	65	40	160	25.5	15.9	4360
RBM17450355	450	315	55	40	140	25.5	17.9	4900
RBM17450400	450	355	57	40	130	25.5	20.1	4900
RBM17500315	450	400	60	40	120	25.5	22.7	4600
RBM17500355	500	315	71	40	170	28.4	17.9	8440
RBM17500400	500	355	62	40	150	28.4	20.1	7720

RBM17500450	500	400	65	40	140	28.4	22.7	7360
RBM17560400	500	450	60	40	120	28.4	25.5	5260
RBM17560450	560	400	68	40	160	31.7	22.7	9400
RBM17560500	560	450	62	40	140	31.7	25.5	8960
RBM17630400	560	500	67	40	130	31.7	28.4	7270
RBM17630450	630	400	78	40	190	35.7	22.7	14620
RBM17630500	630	450	72	40	170	35.7	25.5	13100
RBM17630560	630	500	67	40	150	35.7	28.4	11400
RBM17710500	630	560	64	40	130	35.7	31.7	10200
RBM17710560	710	500	84	40	190	40.2	25.5	19000
RBM17710630	710	560	81	40	170	40.2	28.4	17400
RBM17800560	710	630	71	40	140	40.2	35.7	13700
RBM17800630	800	560	85	40	200	45.3	31.7	19700
RBM17800710	800	630	85	40	180	45.3	35.7	23400
RBM11025020	25	20	12	12	37	2,3	1,9	5
RBM11032020	32	20	12	12	43	2,9	1,9	8
RBM11032025	32	25	12	12	43	2,9	2,3	10
RBM11040020	40	20	12	12	50	3,7	1,9	13
RBM11040025	40	25	12	12	50	3,7	2,3	15
RBM11040032	40	32	12	12	50	3,7	3	18
RBM11050025	50	25	12	12	55	4,6	2,3	23
RBM11050032	50	32	12	12	55	4,6	3	25
RBM11050040	50	40	12	12	55	4,6	3,7	29
RBM11063032	63	32	16	12	65	5,8	3	43
RBM11063040	63	40	16	12	65	5,8	3,7	50
RBM11063050	63	50	16	12	65	5,8	4,6	55
RBM11075032	75	32	19	12	80	6,8	3	70
RBM11075040	75	40	19	12	71	6,8	3,7	71
RBM11075050	75	50	19	12	71	6,8	4,6	79
RBM11075063	75	63	19	16	71	6,8	5,8	89
RBM11090050	90	50	22	12	80	8,2	4,6	125
RBM11090063	90	63	22	16	80	8,2	5,8	129
RBM11090075	90	75	22	19	80	8,2	6,9	155
RBM11110050	110	50	28	12	105	10	4,6	150
RBM11110063	110	63	28	16	97	10	5,8	200
RBM11110075	110	75	28	19	97	10	6,9	160
RBM11110090	110	90	28	22	97	10	8,2	140
RBM11125063	125	63	30	16	112	11,4	5,8	180

RBM11125075	125	75	32	19	108	11,4	6,9	200
RBM11125090	125	90	32	22	108	11,4	8,2	200
RBM11125110	125	110	32	28	108	11,4	10	220
RBM11140075	140	75	35	19	123	12,7	6,9	240
RBM11140090	140	90	35	22	115	12,7	8,2	260
RBM11140110	140	110	35	28	115	12,7	10	210
RBM11140125	140	125	35	32	115	12,7	11,4	220
RBM11160090	160	90	48	34	141	14,6	8.2	695
RBM11160110	160	110	40	28	124	14,6	10	430
RBM11160125	160	125	40	32	124	14,6	11,4	700
RBM11160140	160	140	40	35	124	14,6	12,8	370
RBM11180090	180	90	45	22	157	16,4	8,2	660
RBM11180110	180	110	45	28	157	16,4	10	900
RBM11180125	180	125	45	32	136	16,4	11,4	510
RBM11180140	180	140	45	35	136	16,4	12,8	610
RBM11180160	180	160	45	40	136	16,4	14,6	700
RBM11200140	200	140	50	35	154	18,2	12,8	730
RBM11200160	200	160	50	40	151	18,2	14,6	700
RBM11200180	200	180	50	45	151	18,2	16,4	1300
RBM11225140	225	140	61	48	157	20.5	12.7	1575
RBM11225160	225	160	55	40	171	20,5	14,6	960
RBM11225180	225	180	55	45	171	20,5	16,4	1020
RBM11225200	225	200	55	50	171	20,5	18,2	1200
RBM11250160	250	160	60	40	194	22,7	14,6	1480
RBM11250180	250	180	60	45	182	22,7	16,4	1200
RBM11250200	250	200	60	50	182	22,7	18,2	1110
RBM11250225	250	225	60	55	182	22,7	20,5	1040
RBM11280200	280	200	75	54	214	25.4	18.2	3450
RBM11280225	280	225	72	57	203	25.4	20.5	3425
RBM11280250	280	250	72	62	202	25.4	22.7	1980
RBM11315200	315	200	80	50	230	28.6	18.2	4520
RBM11315225	315	225	84	60	237	28.6	20.5	5110
RBM11315250	315	250	86	63	231	28.6	22.7	5105
RBM11315280	315	280	80	70	222	28.6	25.4	5195
RBM11355200	355	200	57	40	160	32,3	18,2	4400
RBM11355225	355	225	57	40	140	32,3	20,5	4390
RBM11355250	355	250	54	40	140	32.2	22.7	3940
RBM11355280	355	280	53	40	120	32.2	25.4	3720

RBM11355315	355	315	53	40	110	32.2	28.6	3540
RBM11400225	400	225	64	40	160	36.3	20.5	6100
RBM11400250	400	250	61	40	150	36.3	22.7	5800
RBM11400280	400	280	60	40	140	36.3	25.4	5500
RBM11400315	400	315	50	40	120	36.3	28.6	4660
RBM11400355	400	355	51	40	110	36.3	32.2	4480
RBM11450280	450	280	65	40	160	40.9	25.4	9000
RBM11450315	450	315	55	40	140	40.9	28.6	6720
RBM11450355	450	355	57	40	130	40.9	32.2	6580
RBM11450400	450	400	60	40	120	40.9	36.3	6380
RBM11500315	500	315	71	40	170	45.4	28.6	11000
RBM11500355	500	355	62	40	150	45.4	32.2	9300
RBM11500400	500	400	65	40	140	45.4	36.3	9100
RBM11500450	500	450	60	40	120	45.4	40.9	8300