




# Тройник редукционный для стыковой сварки PP-H FIP 125x110 SDR17.6 PN10

| Артикул      | d1   | d2  | i1  | i2  | L   | s1   | s2   | Z2  | g    |
|--------------|------|-----|-----|-----|-----|------|------|-----|------|
| TRBM17063050 | *63  | 50  | 63  | 56  | 220 | 3.8  | 3    | 103 | 210  |
| TRBM17075050 | *75  | 50  | 70  | 55  | 253 | 4.5  | 3    | 113 | 410  |
| TRBM17075063 | *75  | 63  | 70  | 63  | 260 | 4.5  | 3.8  | 117 | 420  |
| TRBM17090063 | *90  | 63  | 79  | 63  | 275 | 5.4  | 3.8  | 137 | 570  |
| TRBM17090075 | *90  | 75  | 74  | 70  | 278 | 5.4  | 4.5  | 138 | 570  |
| TRBM17110063 | *110 | 63  | 85  | 66  | 315 | 6.6  | 3.8  | 159 | 960  |
| TRBM17110075 | *110 | 75  | 82  | 70  | 315 | 6.6  | 4.5  | 157 | 850  |
| TRBM17110090 | *110 | 90  | 82  | 79  | 315 | 6.6  | 5.4  | 155 | 900  |
| TRBM17125063 | *125 | 63  | 70  | 31  | 271 | 7.4  | 3.8  | 112 | 1030 |
| TRBM17125110 | *125 | 110 | 87  | 82  | 340 | 7.4  | 6.6  | 170 | 1240 |
| TRBM17140063 | 140  | 63  | 83  | 32  | 291 | 8.0  | 3.6  | 120 | 1290 |
| TRBM17140075 | 140  | 75  | 81  | 35  | 291 | 8.0  | 4.3  | 120 | 1370 |
| TRBM17140090 | 140  | 90  | 81  | 41  | 291 | 8.0  | 5.1  | 130 | 1380 |
| TRBM17140110 | 140  | 110 | 50  | 44  | 291 | 8.0  | 6.3  | 140 | 1600 |
| TRBM17160063 | *160 | 63  | 98  | 64  | 347 | 9.5  | 3.8  | 175 | 1850 |
| TRBM17160075 | *160 | 75  | 98  | 75  | 348 | 9.5  | 4.5  | 179 | 1910 |
| TRBM17160090 | *160 | 90  | 100 | 81  | 349 | 9.5  | 5.4  | 182 | 1940 |
| TRBM17160110 | *160 | 110 | 98  | 85  | 400 | 9.5  | 6.6  | 202 | 2360 |
| TRBM17160125 | 160  | 125 | 58  | 47  | 315 | 9.1  | 7.1  | 150 | 2060 |
| TRBM17180063 | 180  | 63  | 125 | 30  | 348 | 10.2 | 3.6  | 140 | 2160 |
| TRBM17180075 | 180  | 75  | 112 | 30  | 348 | 10.2 | 4.3  | 160 | 2230 |
| TRBM17225160 | *225 | 160 | 120 | 98  | 498 | 13.4 | 9.5  | 250 | 6130 |
| TRBM17225180 | *225 | 180 | 134 | 134 | 558 | 13.4 | 10.7 | 280 | 7100 |
| TRBM11063050 | *63  | 50  | 63  | 56  | 215 | 5.8  | 4.6  | 103 | 300  |
| TRBM11075032 | *75  | 32  | 70  | 46  | 256 | 6.8  | 2.9  | 103 | 500  |
| TRBM11075050 | *75  | 50  | 70  | 56  | 253 | 6.8  | 4.6  | 113 | 540  |
| TRBM11075063 | *75  | 63  | 70  | 63  | 255 | 6.8  | 5.8  | 117 | 560  |
| TRBM11090032 | 90   | 32  | 53  | 23  | 203 | 8.2  | 2.9  | 85  | 560  |

|              |      |     |     |     |     |      |      |     |      |
|--------------|------|-----|-----|-----|-----|------|------|-----|------|
| TRBM11090050 | 90   | 50  | 53  | 28  | 213 | 8.2  | 4.6  | 100 | 580  |
| TRBM11090063 | *90  | 63  | 82  | 66  | 282 | 8.2  | 5.8  | 127 | 790  |
| TRBM11090075 | *90  | 75  | 73  | 68  | 280 | 8.2  | 6.8  | 138 | 800  |
| TRBM11110032 | 110  | 32  | 66  | 22  | 234 | 10.0 | 2.9  | 91  | 940  |
| TRBM11110050 | 110  | 50  | 66  | 27  | 240 | 10.0 | 4.6  | 101 | 950  |
| TRBM11110063 | *110 | 63  | 88  | 68  | 328 | 10.0 | 5.8  | 149 | 1345 |
| TRBM11110075 | *110 | 75  | 86  | 70  | 320 | 10.0 | 6.8  | 151 | 1250 |
| TRBM11110090 | *110 | 90  | 86  | 79  | 320 | 10.0 | 8.2  | 158 | 1440 |
| TRBM11125063 | 125  | 63  | 54  | 25  | 254 | 10.0 | 5.8  | 107 | 1360 |
| TRBM11125090 | *125 | 90  | -   | -   | 340 | 11.4 | 8.2  | 170 | 1660 |
| TRBM11125110 | *125 | 110 | 90  | 83  | 341 | 11.4 | 10   | 170 | 1860 |
| TRBM11140063 | 140  | 63  | 83  | 32  | 291 | 12.7 | 5.8  | 120 | 1740 |
| TRBM11140075 | 140  | 75  | 81  | 35  | 291 | 12.7 | 6.8  | 130 | 1840 |
| TRBM11140090 | 140  | 90  | 81  | 41  | 291 | 12.7 | 8.2  | 130 | 1960 |
| TRBM11140110 | 140  | 110 | 50  | 44  | 291 | 12.7 | 10   | 140 | 2200 |
| TRBM11160063 | *160 | 63  | 100 | 67  | 347 | 14,6 | 5,8  | 175 | 2640 |
| TRBM11160075 | *160 | 75  | 98  | 74  | 343 | 14.6 | 6.8  | 180 | 2560 |
| TRBM11160090 | *160 | 90  | 104 | 83  | 412 | 14.6 | 8.2  | 190 | 3685 |
| TRBM11160110 | *160 | 110 | 104 | 89  | 414 | 14.6 | 10   | 200 | 3685 |
| TRBM11160125 | 160  | 125 | 58  | 47  | 315 | 14.6 | 11.4 | 150 | 2750 |
| TRBM11180063 | 180  | 63  | 125 | 30  | 348 | 16.4 | 5.8  | 140 | 2980 |
| TRBM11180075 | 180  | 75  | 112 | 30  | 348 | 16.4 | 6.8  | 160 | 3060 |
| TRBM11180090 | *180 | 90  | -   | -   | 427 | 16.4 | 8.2  | 200 | 4360 |
| TRBM11180110 | *180 | 110 | -   | -   | 464 | 16.4 | 10   | 225 | 4640 |
| TRBM11180125 | 180  | 125 | -   | -   | 366 | 16.4 | 11.4 | 166 | 3220 |
| TRBM11200063 | *200 | 63  | 122 | 63  | 500 | 18.2 | 5.8  | 190 | 5700 |
| TRBM11200090 | *200 | 90  | 122 | 79  | 498 | 18.2 | 5.1  | 207 | 6550 |
| TRBM11200110 | *200 | 110 | 122 | 82  | 500 | 18.2 | 6.3  | 215 | 7040 |
| TRBM11200125 | *200 | 125 | 115 | 43  | 388 | 18.2 | 11.4 | 165 | 6920 |
| TRBM11200160 | *200 | 160 | 122 | 98  | 500 | 18.2 | 9.1  | 234 | 8300 |
| TRBM11225075 | *225 | 75  | 120 | 70  | 555 | 20.5 | 6.8  | 227 | 6400 |
| TRBM11225090 | *225 | 90  | 129 | 82  | 556 | 20.5 | 8.2  | 228 | 9380 |
| TRBM11225110 | *225 | 110 | 130 | 86  | 556 | 20.5 | 10   | 238 | 6600 |
| TRBM11225125 | 225  | 125 | 135 | 40  | 456 | 20.5 | 11.4 | 178 | 6120 |
| TRBM11225180 | 225  | 160 | 101 | 98  | 498 | 20.5 | 14,6 | 247 | 8280 |
| TRBM11250110 | *225 | 180 | 135 | 135 | 558 | 20.5 | 16,4 | 280 | 9540 |
| TRBM11250160 | *250 | 110 | 135 | 38  | 450 | 22.7 | 10   | 197 | 7700 |
| TRBM11315110 | *250 | 160 | 110 | 58  | 458 | 22.7 | 14.6 | 213 | 8040 |

|              |      |     |     |     |     |      |      |     |       |
|--------------|------|-----|-----|-----|-----|------|------|-----|-------|
| TRBM11315160 | *315 | 110 | 150 | 82  | 695 | 28.6 | 10   | 277 | 15280 |
| TRBM11315225 | *315 | 160 | 150 | 102 | 695 | 28.6 | 14.6 | 290 | 16600 |
| TRBM11315250 | *315 | 225 | -   | -   | 650 | 28.6 | 20.5 | 335 | 24820 |